

1996-2006 Baldwin County Cancer Incidence Rates by Zip Code, Males and Females, White Only, All Sites

	Rate	SIR	Lower Limit	Upper Limit	Observed Cases	Expected Cases
Alabama	472.31					
Bay Minette (36507)	492.86	1.04	0.97	1.12	778	746.65
Daphne (36526)	508.46	1.05	0.98	1.12	833	793.50
Spanish Fort (36527 and 36577)	486.33	1.02	0.92	1.12	420	412.58
Perdido Beach (36530)	445.56	0.93	0.83	1.03	352	378.70
Fairhope including Point Clear (36532, 36533, and 36564)	548.17	1.17	1.11	1.23	1626*	1393.78
Foley including Magnolia Springs (36535, 36536, and 36555)	498.40	1.06	1.00	1.13	1072	1010.95
Gulf Shores (36542 and 36547)	518.99	1.05	0.97	1.14	631	598.14
Irvington (36544)	474.49	1.00	0.90	1.11	377	376.17
Jackson (36545)	566.02	1.19	1.07	1.33	340	284.58
Loxley (36551)	485.68	1.05	0.92	1.19	235	223.61
Robertsdale including Gateswood and Seminole (36567 and 36574)	455.08	0.96	0.88	1.04	531	554.06
Summerdale (36580)	483.23	0.98	0.85	1.12	205	208.70

*Observed number includes 93 cases from Point Clear.

1996-2006 Baldwin County Cancer Incidence Rates by Zip Code, Males and Females, White Only, Brain and CNS

	Rate	SIR	Lower Limit	Upper Limit	Observed Cases	Expected Cases
Alabama	9.55					
Bay Minette (36507)	6.91	0.72	0.35	1.23	11	15.20
Daphne (36526)	10.97	0.95	0.53	1.48	16	16.84
Spanish Fort (36527 and 36577)	10.99	1.01	0.42	1.85	8	7.93
Perdido Beach (36530)	12.09	1.11	0.46	2.03	8	7.24
Fairhope including Point Clear (36532, 36533, and 36564)	9.17	0.95	0.60	1.38	24*	25.30
Foley including Magnolia Springs (36535, 36536, and 36555)	11.09	1.13	0.69	1.68	21	18.55
Gulf Shores (36542 and 36547)	12.89	1.14	0.58	1.90	12	10.51
Irvington (36544)	4.93	0.47	0.12	1.06	4	8.49
Jackson (36545)	11.56	1.24	0.48	2.36	7	5.64
Loxley (36551)	3.76	0.41	0.04	1.21	2	4.84
Robertsdale including Gateswood and Seminole (36567 and 36574)	11.53	1.13	0.59	1.85	13	11.47
Summerdale (36580)	8.45	0.93	0.23	2.09	4	4.31

*Observed number includes 2 cases from Point Clear.

1996-2006 Baldwin County Cancer Incidence Rates by Zip Code, Females, White Only, Breast

	Rate	SIR	Lower Limit	Upper Limit	Observed Cases	Expected Cases
Alabama	141.27					
Bay Minette (36507)	143.92	1.01	0.84	1.21	120	118.34
Daphne (36526)	140.40	0.97	0.80	1.15	128	132.40
Spanish Fort (36527 and 36577)	181.32	1.27	1.01	1.57	83	65.11
Perdido Beach (36530)	108.42	0.77	0.56	1.03	44	56.83
Fairhope including Point Clear (36532, 36533, and 36564)	189.52	1.34	1.19	1.50	296*	220.69
Foley including Magnolia Springs (36535, 36536, and 36555)	138.29	1.01	0.86	1.18	159	157.36
Gulf Shores (36542 and 36547)	150.28	1.01	0.81	1.23	89	88.19
Irvington (36544)	146.71	0.97	0.74	1.24	60	61.82
Jackson (36545)	194.76	1.39	1.07	1.76	65	46.69
Loxley (36551)	167.92	1.17	0.83	1.56	41	35.12
Robertsdale including Gateswood and Seminole (36567 and 36574)	140.32	0.98	0.78	1.20	86	87.82
Summerdale (36580)	141.69	0.99	0.67	1.38	32	32.22

Rates are per 100,000 and age-adjusted to the 2000 U.S. (19 age groups); Confidence intervals are 95% for the SIR.

*Observed number includes 11 cases from Point Clear.

Population data for rates is taken from the 2000 U.S. Census (<http://factfinder.census.gov>) and assumes no population growth since 2000. Because the population of Baldwin County is increasing at a faster rate than Alabama as a whole, the incidence rates reported for Baldwin county are overestimated.

Source: Alabama Statewide Cancer Registry, January 6, 2009

1996-2006 Baldwin County Cancer Incidence Rates by Zip Code, Males and Females, White Only, Kidney

	Rate	SIR	Lower Limit	Upper Limit	Observed Cases	Expected Cases
Alabama	12.62					
Bay Minette (36507)	11.85	0.95	0.56	1.43	19	20.06
Daphne (36526)	14.23	1.10	0.70	1.60	24	21.78
Spanish Fort (36527 and 36577)	7.17	0.55	0.19	1.09	6	10.89
Perdido Beach (36530)	17.70	1.37	0.74	2.20	14	10.21
Fairhope including Point Clear (36532, 36533, and 36564)	11.00	0.90	0.61	1.24	33*	36.72
Foley including Magnolia Springs (36535, 36536, and 36555)	16.58	1.27	0.87	1.75	34	26.71
Gulf Shores (36542 and 36547)	20.64	1.50	0.95	2.17	24	16.04
Irvington (36544)	21.84	1.64	0.94	2.53	17	10.37
Jackson (36545)	7.76	0.66	0.20	1.38	5	7.59
Loxley (36551)	13.10	0.98	0.34	1.95	6	6.09
Robertsdale including Gateswood and Seminole (36567 and 36574)	11.33	0.86	0.45	1.41	13	15.03
Summerdale (36580)	4.48	0.35	0.03	1.03	2	5.68

*Observed number includes 2 cases from Point Clear.

1996-2006 Baldwin County Cancer Incidence Rates by Zip Code, Males and Females, White Only, Luekemias

	Rate	SIR	Lower Limit	Upper Limit	Observed Cases	Expected Cases
Alabama	10.56					
Bay Minette (36507)	10.66	1.02	0.59	1.58	17	16.61
Daphne (36526)	9.86	0.87	0.48	1.38	15	17.26
Spanish Fort (36527 and 36577)	5.49	0.54	0.16	1.13	5	9.30
Perdido Beach (36530)	6.61	0.75	0.26	1.49	6	7.97
Fairhope including Point Clear (36532, 36533, and 36564)	12.29	1.16	0.80	1.58	35*	30.27
Foley including Magnolia Springs (36535, 36536, and 36555)	9.22	0.83	0.49	1.27	18	21.67
Gulf Shores (36542 and 36547)	9.92	1.00	0.51	1.66	12	11.98
Irvington (36544)	11.02	1.06	0.47	1.88	9	8.51
Jackson (36545)	12.57	1.10	0.43	2.09	7	6.36
Loxley (36551)	21.14	1.82	0.81	3.24	9	4.94
Robertsdale including Gateswood and Seminole (36567 and 36574)	6.07	0.66	0.28	1.21	8	12.15
Summerdale (36580)	6.23	0.66	0.12	1.65	3	4.52

*Observed number includes 2 cases from Point Clear.

1996-2006 Baldwin County Cancer Incidence Rates by Zip Code, Males and Females, White Only, Lung and Bronchus

	Rate	SIR	Lower Limit	Upper Limit	Observed Cases	Expected Cases
Alabama	78.32					
Bay Minette (36507)	84.78	1.09	0.91	1.29	136	124.60
Daphne (36526)	78.85	0.97	0.80	1.15	125	129.08
Spanish Fort (36527 and 36577)	54.70	0.71	0.52	0.93	48	67.33
Perdido Beach (36530)	77.70	0.95	0.73	1.21	63	66.04
Fairhope including Point Clear (36532, 36533, and 36564)	70.30	0.91	0.80	1.04	220*	240.45
Foley including Magnolia Springs (36535, 36536, and 36555)	93.51	1.17	1.01	1.34	207	176.62
Gulf Shores (36542 and 36547)	68.86	0.85	0.69	1.04	92	107.66
Irvington (36544)	88.47	1.14	0.88	1.43	69	60.70
Jackson (36545)	76.43	0.96	0.70	1.27	46	47.71
Loxley (36551)	84.69	1.14	0.81	1.52	41	36.01
Robertsdale including Gateswood and Seminole (36567 and 36574)	74.37	0.93	0.74	1.14	86	92.46
Summerdale (36580)	115.63	1.27	0.92	1.68	45	35.37

Rates are per 100,000 and age-adjusted to the 2000 U.S. (19 age groups); Confidence intervals are 95% for the SIR.

*Observed number includes 14 cases from Point Clear.

Population data for rates is taken from the 2000 U.S. Census (<http://factfinder.census.gov>) and assumes no population growth since 2000. Because the population of Baldwin County is increasing at a faster rate than Alabama as a whole, the incidence rates reported for Baldwin county are overestimated.

Source: Alabama Statewide Cancer Registry, January 6, 2009

1996-2006 Baldwin County Cancer Incidence Rates by Zip Code, Males and Females, White Only, Melanoma

	Rate	SIR	Lower Limit	Upper Limit	Observed Cases	Expected Cases
Alabama	25.76					
Bay Minette (36507)	27.94	1.08	0.78	1.44	44	40.56
Daphne (36526)	34.18	1.31	0.99	1.68	59	44.88
Spanish Fort (36527 and 36577)	35.40	1.31	0.87	1.85	29	22.06
Perdido Beach (36530)	24.72	0.96	0.57	1.46	19	19.72
Fairhope including Point Clear (36532, 36533, and 36564)	32.71	1.28	1.03	1.56	91*	71.05
Foley including Magnolia Springs (36535, 36536, and 36555)	25.01	0.97	0.71	1.26	50	51.56
Gulf Shores (36542 and 36547)	31.26	1.27	0.89	1.72	38	29.89
Irvington (36544)	16.07	0.65	0.35	1.04	14	21.63
Jackson (36545)	40.57	1.58	1.00	2.29	24	15.19
Loxley (36551)	22.96	0.94	0.47	1.55	12	12.82
Robertsdale including Gateswood and Seminole (36567 and 36574)	21.24	0.86	0.55	1.22	26	30.39
Summerdale (36580)	24.89	0.79	0.35	1.41	9	11.38

*Observed number includes 8 cases from Point Clear.

1996-2006 Baldwin County Cancer Incidence Rates by Zip Code, Males and Females, White Only, Non-Hodgkin Lymphoma

	Rate	SIR	Lower Limit	Upper Limit	Observed Cases	Expected Cases
Alabama	17.79					
Bay Minette (36507)	24.69	1.40	0.98	1.88	39	27.95
Daphne (36526)	12.00	0.68	0.41	1.02	20	29.40
Spanish Fort (36527 and 36577)	14.00	0.89	0.48	1.43	14	15.67
Perdido Beach (36530)	20.82	1.14	0.64	1.78	16	14.01
Fairhope including Point Clear (36532, 36533, and 36564)	18.29	1.02	0.76	1.32	54*	52.72
Foley including Magnolia Springs (36535, 36536, and 36555)	21.77	1.29	0.95	1.69	49	37.86
Gulf Shores (36542 and 36547)	18.45	1.00	0.62	1.47	22	22.02
Irvington (36544)	20.08	1.08	0.59	1.70	15	13.95
Jackson (36545)	16.86	0.94	0.44	1.62	10	10.69
Loxley (36551)	15.15	0.96	0.40	1.77	8	8.30
Robertsdale including Gateswood and Seminole (36567 and 36574)	22.51	1.31	0.86	1.87	27	20.57
Summerdale (36580)	6.54	0.39	0.07	0.97	3	7.70

*Observed number includes 5 cases from Point Clear.

1996-2006 Baldwin County Cancer Incidence Rates by Zip Code, Females, White Only, Ovary

	Rate	SIR	Lower Limit	Upper Limit	Observed Cases	Expected Cases
Alabama	14.49					
Bay Minette (36507)	13.47	0.90	0.44	1.52	11	12.28
Daphne (36526)	21.82	1.52	0.92	2.28	20	13.15
Spanish Fort (36527 and 36577)	18.76	1.18	0.49	2.16	8	6.78
Perdido Beach (36530)	10.92	0.68	0.17	1.53	4	5.87
Fairhope including Point Clear (36532, 36533, and 36564)	17.69	1.32	0.89	1.84	31*	23.44
Foley including Magnolia Springs (36535, 36536, and 36555)	9.55	0.66	0.32	1.12	11	16.67
Gulf Shores (36542 and 36547)	16.21	1.09	0.51	1.89	10	9.15
Irvington (36544)	18.54	1.46	0.65	2.59	9	6.17
Jackson (36545)	14.68	1.02	0.31	2.14	5	4.89
Loxley (36551)	3.75	0.28	0.00	1.14	1	3.51
Robertsdale including Gateswood and Seminole (36567 and 36574)	18.47	1.35	0.68	2.23	12	8.92
Summerdale (36580)	14.92	0.92	0.16	2.29	3	3.26

Rates are per 100,000 and age-adjusted to the 2000 U.S. (19 age groups); Confidence intervals are 95% for the SIR.

*Observed number includes no cases from Point Clear.

Population data for rates is taken from the 2000 U.S. Census (<http://factfinder.census.gov>) and assumes no population growth since 2000.

Because the population of Baldwin County is increasing at a faster rate than Alabama as a whole, the incidence rates reported for Baldwin county are overestimated.

Source: Alabama Statewide Cancer Registry, January 6, 2009

1996-2006 Baldwin County Cancer Incidence Rates by Zip Code, Males, White Only, Prostate

	Rate	SIR	Lower Limit	Upper Limit	Observed Cases	Expected Cases
Alabama	126.13					
Bay Minette (36507)	133.57	1.06	0.85	1.29	96	90.61
Daphne (36526)	176.30	1.42	1.19	1.68	135	94.86
Spanish Fort (36527 and 36577)	144.17	1.12	0.84	1.44	55	49.11
Perdido Beach (36530)	98.85	0.78	0.56	1.05	41	52.34
Fairhope including Point Clear (36532, 36533, and 36564)	161.16	1.28	1.11	1.46	216*	168.49
Foley including Magnolia Springs (36535, 36536, and 36555)	140.97	1.08	0.91	1.28	140	129.09
Gulf Shores (36542 and 36547)	176.54	1.31	1.07	1.56	114	87.14
Irvington (36544)	120.95	0.95	0.68	1.26	43	45.26
Jackson (36545)	175.81	1.40	1.02	1.85	46	32.75
Loxley (36551)	130.46	1.08	0.72	1.51	30	27.86
Robertsdale including Gateswood and Seminole (36567 and 36574)	103.13	0.85	0.64	1.08	60	70.99
Summerdale (36580)	106.99	0.82	0.51	1.20	23	28.02

*Observed number includes 10 cases from Point Clear.

1996-2006 Baldwin County Cancer Incidence Rates by Zip Code, Males and Females, White Only, Urinary Bladder

	Rate	SIR	Lower Limit	Upper Limit	Observed Cases	Expected Cases
Alabama	18.77					
Bay Minette (36507)	17.37	0.89	0.57	1.27	26	29.34
Daphne (36526)	26.23	1.39	0.99	1.86	41	29.51
Spanish Fort (36527 and 36577)	31.77	1.65	1.09	2.34	28	16.95
Perdido Beach (36530)	30.63	1.60	1.01	2.31	24	15.03
Fairhope including Point Clear (36532, 36533, and 36564)	19.95	1.09	0.83	1.38	64*	58.80
Foley including Magnolia Springs (36535, 36536, and 36555)	23.23	1.24	0.92	1.61	52	41.87
Gulf Shores (36542 and 36547)	26.80	1.31	0.89	1.82	32	24.40
Irvington (36544)	19.11	1.10	0.60	1.74	15	13.67
Jackson (36545)	28.30	1.49	0.85	2.30	17	11.42
Loxley (36551)	18.03	0.85	0.33	1.61	7	8.26
Robertsdale including Gateswood and Seminole (36567 and 36574)	18.27	0.90	0.53	1.36	19	21.19
Summerdale (36580)	31.58	1.77	0.95	2.84	14	7.92

Rates are per 100,000 and age-adjusted to the 2000 U.S. (19 age groups); Confidence intervals are 95% for the SIR.

*Observed number includes 9 cases from Point Clear.

Population data for rates is taken from the 2000 U.S. Census (<http://factfinder.census.gov>) and assumes no population growth since 2000.

Because the population of Baldwin County is increasing at a faster rate than Alabama as a whole, the incidence rates reported for Baldwin county are overestimated.

Source: Alabama Statewide Cancer Registry, January 6, 2009